
## Procedural Spotlight:

## SureSmile Attachment Bonding

With orthodontic aligner treatment, not every case is as simple as fixing a couple of crooked teeth. For moderate to more complex cases, SureSmile Aligners offer a quick and easy way to work with bonded attachments that can be used throughout any stage of treatment to help you straighten your patient's teeth.

The following workflow explains how to bond attachments at precise locations, allowing you to choose how the SureSmile Aligners "grip the teeth" to help guide them to their new positions.

## **Procedural steps\***



**Pretreatment Steps:** 

- Confirm you have the correct patient's aligner box and remove the attachment template
- Identify which teeth require attachments
- Dispense Prime&Bond active from bottle into CliXdish and close lid
- Isolate with cheek retractors



Prophy (with fluoride-free pumice), Rinse & Dry



**Apply Etch** 



Rinse



Air Dry



Apply Bond (slightly agitate)
Air Dry (gently)




Cure Bond\*

≥ 500 mW/cm<sup>2</sup> = 20 s


≥ 800 mW/cm<sup>2</sup> = 10 s



Fill each attachment in the template with flowable composite



Place attachment template on teeth
Place gentle pressure around attachment to
ensure it has good contact with the tooth surface



Light cure\* each attachment



Remove attachment template

Remove excess flash (as needed)



Patient is ready to insert their first active aligner!

## **Recommended Products**

- Caulk 34% Tooth Conditioner Gel (Syringe or Bottle) *Phosphoric Acid Etch*
- Prime&Bond active *Universal Adhesive*
- CliXdish Dappen Dish
- SmartLite Pro Modular LED Curing Light
- Ceram.x Spectra ST flow\*\* (Syringe or Compula Tips) Flowable Composite Restorative

